

# *tempest* easyline





tempest625easy

Design by Roberto Curtò

## TECHNICAL FEATURES

<b>LENGTH O.A.</b>	<b>6,25 mt</b>
<b>BEAM O.A.</b>	<b>2,65 mt</b>
<b>TUBE DIAMETER</b>	<b>0,56 mt max</b>
<b>WEIGHT (approx.)</b>	<b>700 kg</b>
<b>MAX PEOPLE ON BOARD</b>	<b>N° 12</b>
<b>ENGINES</b>	<b>1L</b>
<b>MAX POWER</b>	<b>175 HP</b>
<b>CERTIFICATION CE</b>	<b>C</b>
<b>TUBE</b>	<b>Neoprene-Hypalon ORCA®1670 dtex</b>

## STD EQUIPMENT

BUSSOLA/COMPASS - CONSOLLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP - MUSONE DI PRUA IN VTR/GRP BOW PYLON  
 PAGAIE/PADDLES - PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL  
 POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP - SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 135 LT)

## OPT EQUIPMENT

ASTA DA SCI/SKI POLE - C/CONSOLLE E PANCA/CONSOLE AND BENCH COVER - CUSCINERIA DI PRUA/FORE SUNDECK CUSHIONS  
 DOCCIA/SHOWER (45 LT) - KIT PLANCETTE DI POPPA CON FLEXITEEK/STERN PLATFORM KIT WITH FLEXITEEK  
 LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR - PANCA GUIDA LEANING POST/LEANING POST  
 RIVESTIMENTO FLEXITEEK POZZETTO/FLEXITEEK PLANKING ON COCKPIT - RIVESTIMENTO FLEXITEEK TRINCARINI/FLEXITEEK PLANKING ON STRINGERS  
 ROLLBAR INOX/SS A-FRAME - TELO RICOVERO/BOAT STORAGE COVER - TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME  
 TENDALINO/SUNSHADE ARCH - TIMONERIA IDRAULICA/HYDRAULIC STEERING



tempest570easy

Design by Roberto Curtò

## TECHNICAL FEATURES

<b>LENGTH O.A.</b>	<b>5,70 mt</b>
<b>BEAM O.A.</b>	<b>2,60 mt</b>
<b>TUBE DIAMETER</b>	<b>0,56 mt max</b>
<b>WEIGHT (approx.)</b>	<b>550 kg</b>
<b>MAX PEOPLE ON BOARD</b>	<b>N° 10</b>
<b>ENGINES</b>	<b>1L</b>
<b>MAX POWER</b>	<b>135 HP</b>
<b>CERTIFICATION CE</b>	<b>C</b>
<b>TUBE</b>	<b>Neoprene-Hypalon ORCA®1100 dtex</b>

## STD EQUIPMENT

CONSOLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP - MUSONE DI PRUA IN VTR/GRP BOW PYLON  
 PAGAIE/PADDLES - PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL  
 POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP - SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 86 LT)

## OPT EQUIPMENT

ASTA DA SCI/SKI POLE - C/CONSOLLE E PANCA/CONSOLE AND BENCH COVER - CUSCINERIA DI PRUA/FORE SUNDECK CUSHIONS  
 DOCCIA/SHOWER (45 LT) - LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR  
 PANCA GUIDA LEANING POST/LEANING POST - ROLLBAR INOX/SS A-FRAME - TELO RICOVERO/BOAT STORAGE COVER  
 TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME - TENDALINO/SUNSHADE ARCH



tempest505easy

TECHNICAL FEATURES	
LENGTH O.A.	5,05 mt
BEAM O.A.	2,33 mt
TUBE DIAMETER	0,53 mt max
WEIGHT (approx.)	400 kg
MAX PEOPLE ON BOARD	N° 9
ENGINES	1 L
MAX POWER	110 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1100 dtex

STD EQUIPMENT	
CONSOLLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP	
MUSONE DI PRUA IN VTR/GRP BOW PYLON - PAGAIE/PADDLES	
PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL	
POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP - SCALETTA/LADDER	
OPT EQUIPMENT	
C/CONSOLLE/CONSOLE COVER - CUCINERIA DI PRUA/FORE SUNDECK CUSHIONS	
DOCCIA/SHOWER (55 LT) - LUCI DI NAVIGAZIONE SU ROLLBAR/NAVIGATION LIGHTS ON ROLLBAR	
ROLLBAR INOX/SS A-FRAME - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 53 LT)	
TELO RICOVERO/BOAT STORAGE COVER	
TENDALINO PER ROLLBAR/SUNSHADE ARCH FOR A-FRAME - TENDALINO/SUNSHADE ARCH	



tempest425easy

TECHNICAL FEATURES	
LENGTH O.A.	4,20 mt
BEAM O.A.	2,03 mt
TUBE DIAMETER	0,45 mt max
WEIGHT (approx.)	290 kg
MAX PEOPLE ON BOARD	N° 6
ENGINES	1 L
MAX POWER	40 HP
CERTIFICATION CE	C
TUBE	Neoprene-Hypalon ORCA®1100 dtex

STD EQUIPMENT	
CONSOLLE DI GUIDA/STEERING CONSOLE - GONFIATORE/INFLATING PUMP - PAGAIE/PADDLES	
PANCA GUIDA IN VTR/GRP STEERING BENCH - PANNELLO ELETTRICO/ELECTRIC PANEL	
POMPA DI SENTINA AUTOMATICA/AUTOMATIC BILGE PUMP	
STROZZASCOTTE IN GOMMA PRUA/GUM BOW ROLLER	
OPT EQUIPMENT	
CUCINERIA DI PRUA (SOLO PUNTALE)/FORE SUNDECK CUSHIONS (BIG FRONT ONE ONLY)	
SCALETTA/LADDER - SERBATOIO BENZINA/FUEL TANK (CIRCA/APPROX 65 LT)	
TELO RICOVERO/BOAT STORAGE COVER	

